

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/779,987	02/17/2004	Ralph James Perry	NORTH-501A	8891
7590 12/14/2006			EXAMINER	
Bruce B. Brun		MCCRAW, BARRY CLAYTON		
STETINA BRUNDA GARRED & BRUCKER Suite 250			ART UNIT	PAPER NUMBER
75 Enterprise			3744	<del></del>
Aliso Viejo, CA 92656			DATE MAILED: 12/14/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

<del></del> -		Application No.	Applicant(s)		
		10/779,987	PERRY ET AL.		
	Office Action Summary	Examiner	Art Unit		
		B. Clayton McCraw	3744		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHO WHIC - Exter after - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR REFERENCE IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication, period for reply is specified above, the maximum statutory perion to reply within the set or extended period for reply will, by state eply received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 1.136(a). In no event, however, may a reply be timed will apply and will expire SIX (6) MONTHS from ute, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
2a)	Responsive to communication(s) filed on 13 This action is FINAL. 2b) The Since this application is in condition for allow closed in accordance with the practice under the second	nis action is non-final. vance except for formal matters, pro			
Dispositi	on of Claims				
5)□ 6)⊠ 7)□	Claim(s) 33,35-37 and 39-53 is/are pending 4a) Of the above claim(s) is/are withd Claim(s) is/are allowed. Claim(s) 33,35-37 and 39-53 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and	rawn from consideration.			
Applicati	on Papers				
10)⊠	The specification is objected to by the Exami The drawing(s) filed on <u>13 November 2006</u> is Applicant may not request that any objection to the Replacement drawing sheet(s) including the corr The oath or declaration is objected to by the	s/are: a)⊠ accepted or b)⊡ object he drawing(s) be held in abeyance. Se ection is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachmen	t(s) ce of References Cited (PTO-892)	4) 🔲 Interview Summary	· (PTO-413)		
2) Notice 3) Information	the of Preferences Gried (PTO-002) the of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) the No(s)/Mail Date	Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Application/Control Number: 10/779,987 Page 2

Art Unit: 3744

#### **DETAILED ACTION**

## Response to Arguments

1. Applicant's arguments filed 11/13/2006 have been fully considered but they are moot due to new grounds of rejection. The applicant submits that the claimed invention teaches foam panels disclosed outside of the barrier bag such that any warm air is insulated from the refrigerant. The applicant also submits that the Pool reference, among others, fails to disclose foam panels outside of a barrier bag, and instead teaches foam panels within this bag. The examiner submits that, although this is correct, it would be obvious to one of ordinary skill in the art at the time the invention was made to move these foam panels outside of the refrigeration for a more insulated cooling process, since it is well known that insulation will keep out heat, if desired. Additionally, the examiner provides Hollander et al. (5,111,957) within the rejection to fortify this statement.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Application/Control Number: 10/779,987

Art Unit: 3744

1. Determining the scope and contents of the prior art.

2. Ascertaining the differences between the prior art and the claims at issue.

Page 3

- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. Claims 33, 35-37, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Thomas (US 4,892,193). Pool explicitly teaches an outer container (11) containing the inner contents, the container made of cardboard (corresponding to the claimed corrugated fiberboard; col.4, line 15), a plurality of foam panels (13) disposed within the outer container, a barrier bag (12) filled with a plurality of dry ice pellets enveloping the inner contents (col.3, lines 47-49; used in plastic bag, 12), a lid placed on the barrier bag over the inner contents (15), the open top of the barrier bag is folder over the inner container and secured by filament reinforced tape (col. 5, lines 10-15), and the outer container being secured by filament reinforced tape (col. 5, lines 13-15). Pool does not explicitly teach the foam panels in abutting contact with the inner surface of the outer container or the barrier bag in abutting contact with the interior surface of the foam panels. Instead Pool teaches the foam panels within the barrier bag. Hollander et al. explicitly teach the foam panels (col. 3, lines 40-45) in abutting contact with the inner surface of the outer container (25) and the barrier bag (11) in abutting contact with the interior surface of the foam panels (Figure 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the container of Pool with the features of Hollander et al. because providing foam panels outside of the refrigeration

Art Unit: 3744

advantageously allows for a more insulated and efficient cooling process, since it is well known that insulation will keep out heat, if desired (col. 2, lines 44-55).

Page 4

Additionally, Pool does not explicitly teach an inner container. Smith et al. teach an inner container (612) within an outer container (614) for a temperature controlled shipping apparatus. It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool with the inner container as taught by Smith et al. since an inner container advantageously adds to the level of protection as well as insulation for the contents within.

Additionally, Pool et al., as modified by Hollander et al. and Smith et al., teach the aspects of the present invention as described above, but fail to teach at least one spacer disposed around the inner contents within the foam panels such that a cavity is formed between the inner contents and foam panels and the spacer having a thickness of about 2 inches. Thomas explicitly teaches at least one spacer disposed around the inner contents within the foam panels such that a cavity is formed between the inner contents and foam panels (col. 3, lines 12-22) and the spacer having a thickness of about 2 inches (col. 3, lines 23-37). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al., Hollander et al. and Smith et al., with the spacer cavity as taught by Thomas since spacers are commonly used in shipping applications to advantageously protect the shipping contents.

Page 5

Art Unit: 3744

Regarding the limitations of claim 37, a foam panel thickness of about 2 inches is considered to be a result effective variable, wherein the cooling capacity will increase with an increasing foam panel thickness. Thus, while Pool does not explicitly teach a foam panel with at least a 2 inch thickness one of ordinary skill in the art would have known by increasing the foam panel thickness, a longer cooling time would advantageously result.

Regarding the limitations of claim 39, dry ice pellets having a thickness of at least 2 inches are considered to be a result effective variable, wherein the amount and length of time of cooling provided will directly increase as a result of dry ice thickness. Thus, while Pool does not explicitly teach a layer of dry ice pellets having at least a 2 inch thickness one of ordinary skill in the art would have known by increasing the dry ice thickness, a longer cooling time would advantageously result.

Regarding the phrase "filament reinforced tape," it should be noted that the examiner submits that filament reinforced tape is standard and conventional for shipping processes and falls within the meets and bounds of Pool's statement of sealing by "conventional means" (col. 5, line 14).

5. Claims 40 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Thomas (US 4,892,193) and in further view of Henning et al. (US 5,600,958). Pool et al. explicitly teach all of the elements of the present invention as stated above, but do not teach a plurality of internal containers for individually packing materials therein. Henning et al. explicitly teach a plurality of

Application/Control Number: 10/779,987

Art Unit: 3744

internal containers for individually packing materials therein (40; Figures 1 and 2); and a plurality of lids for the internal containers (50; Figure 1). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the internal containers as taught by Henning et al. since certain applications may require multiple sealed goods to be shipped simultaneously and it would only require routine skill in the art to multiply the concept of a single container used for single goods.

Page 6

- 6. Claim 41 is rejected under 35 U.S.C. 103(a) as being unpatentable Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Thomas (US 4,892,193) in further view of Henning et al. (US 5,600,958) and in further view of Farison et al. (US 6,398,029). Pool et al. teach aspects of the present invention, but do not teach a cellulosic cushion disposed in the inner container. Farison et al. explicitly teach a cellulosic cushion for use in shipping containers (Figures 1-6; col. 18, lines 1-18). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the cellulosic cushion as taught by Farison et al. since any increased padding within a shipping container advantageously increases its safety.
- 7. Claims 43 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Thomas (US 4,892,193) in further view of Henning et al. (US 5,600,958) and in further view of Bane, III (US 5,441,170). Pool et al.

Application/Control Number: 10/779,987

Art Unit: 3744

teach aspects of the present invention, but do not teach upper or lower holding pads in the inner container. Bane, III explicitly teaches upper (44) and lower (46) holding pads in an inner container. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the upper and lower holding pads as taught by Bane, III, since any form of extra padding above or below an object within a shipped container will advantageously increase safety during shipping.

Page 7

- 8. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Thomas (US 4,892,193) in further view of Henning et al. (US 5,600,958) in further view of Bane, III (US 5,441,170) and in further view of Bessett et al. (US 3,732,976). Pool et al. teach aspects of the present invention, but do not teach a recessed portion conformal to a periphery of a bottom surface of internal contents. Bessett et al. explicitly teach a recessed portion conformal to a periphery of a bottom surface of internal contents (Figure 2). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the recessed portion of Bane III, since providing a recessed portion in a shipping container advantageously prevents movement of the contents within.
- 9. Claims 46-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) and in further view of Defelice et al. (US 2002/0189278). Pool et al.

Art Unit: 3744

explicitly teach the elements of the present invention as described above, but fail to teach the interior bag having zip-lock capabilities. Defelice et al. explicitly teach the interior bag having zip-lock capabilities (paragraph 0008) as prior art. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus of Pool et al. with the zip-lock bag of Defelice et al. since zip-lock features are commonly utilized in bags to advantageously provide a more efficient seal than simply folding or taping allow.

- 10. Claim 52 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) in further view of Defelice et al. (US 2002/0189278) and in further view of Belisle (US 4,823,956). Pool et al. teach the aspects of the present invention as described above, but fail to teach the foam panels being sealed by tape. Belisle explicitly teaches foam panels being sealed by tape (col. 2, lines 8-16). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the foam panel tape as taught by Belisle since it would be advantageous in any shipping application to hold the contents of a package together to prohibit movement.
- 11. Claim 53 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pool (US 4,682,708) in view of Hollander et al. (US 5,111,957) in further view of Smith et al. (6,584,797) in further view of Defelice et al. (US 2002/0189278) and in further view of Benedetti et al. (US 6,209,341). Pool et al. teach the aspects of the present invention as described above, but fail to teach but do not teach the barrier bag having a plurality of

Application/Control Number: 10/779,987 Page 9

Art Unit: 3744

vent holes with diameters approximately ¼ inches. Benedetti et al. explicitly teach a plurality of vent holes for a container containing dry ice (col. 5, lines 8-12) having a diameter of approximately ¼ inches (col. 5, lines 8-12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the temperature controlled shipping apparatus as taught by Pool et al. with the vent holes as taught by Benedetti et al. as it is imperative for any container of carbon dioxide to have some form of ventilation so the structure does not explode as gases are emitted.

### Conclusion

- 12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Choy (US 6,233,965) teaches an insulated shipping container; Derifield (US 5,924,302) teaches an insulated shipping container; Purdum (US 5,899,088) teaches an insulated shipping container; Yaddgo et al. (US 6,381,981) teach an insulated shipping container; Combs et al. (US 4,576,017) teach an insulated shipping container; and Bangs (US 2,006,705) teaches a container.
- 13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to B. Clayton McCraw whose telephone number is (571) . 272-3665. The examiner can normally be reached on M-F 8:30AM-5:00PM.
- 14. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/779,987 Page 10

Art Unit: 3744

15. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

11/30/2006

SUPERVISORY PATENT EXAMINER